

Rhenogran® Resorcin-80/SBR

Predispersed rubber chemicals and additives

Function

In direct bonding compounds, e.g. for the bonding system resorcinol/formaldehyde/silica

Product description

Composition:	80% resorcinol 20% SBR binder and dispersing agents
Appearance:	grey to beige granules (color intensity may vary due to raw materials)
Density, 20 °C:	approx. 1.2 g/cm ³
Physiological properties:	see safety data sheet

Use

Mode of action:	Rhenogran Resorcin-80/SBR is one component of the bonding system resorcinol/formaldehyde/silica. In combination with a formaldehyde donor (e.g. Rhenogran Hexa-80 or Cohedur A 250) the resorcinol formaldehyde resin acting as adhesion promoter between rubber and the re-inforcement material is formed during the curing process. This system is suitable for bonding all types of rubber to reinforcing materials, e.g. fabrics, glass fibres, steel-cord.
Processing:	The pre-dispersed resorcinol in the elastomeric binder system allows quick absorption and excellent dispersion in the rubber mix. In this way, optimal activity of resorcinol is assured.
Dosage:	3-4 phr
Application:	Tires and technical rubber goods, e.g. conveyor belts, raw-edge V-belts, round belts, fire hoses, other reinforced hoses, flexible containers, fabric proofings

Packaging

20 kg paper bag on 1000 kg skid or 20 kg cardboard with PE bag inside on 800 kg skid

Storage stability

In original closed containers under cool and dry conditions 730 days from date of production

Handling

For additional handling information on Rhenogran Resorcin-80/SBR please consult current safety data sheet

Cohedur® is registered trade mark of Lanxess AG

Our technical advice - whether verbal, in writing or by way of trials - is given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. It does not release you from the obligation to test the products supplied by us as to their suitability for the intended processes and uses. The application, use and processing of the products are beyond our control and, therefore, entirely your own responsibility. Should, in spite of this, liability be established for any damage, it will be limited to the value of the goods delivered by us and used by you. We will, of course, provide products of consistent quality within the scope of our General Conditions of Sale and Delivery.



LANXESS Deutschland GmbH
Business Unit Rhein Chemie
Kennedyplatz 1
D-50569 Cologne, Germany
<http://rch.lanxess.com>