


NIGROSIN WD liq.

General properties	Neutral black dyestuff for inks, resins and other applications Solution of Acid Black 2 dye with improved water fastness Purified powder product is available as Nigrosin WLF
Color Index Part I	Acid Black 2
Color Index Part II	50420
Chemical class	Sulfonated Phenazine
SDB Number	57816735
Appearance	Black liquid
Solvent	Water
Dye content	12 - 15 %
Color strength tolerance	± 5%
pH (10% in water)	10 – 13
Surface tension (form supplied)	> 50 mN/m
Lightfastness	3
Solubility (g/L at 25 °C)	Water _____miscible Diethylene glycol__miscible
Applications	Water-based inks Aqueous resins (urea formaldehyde, melamine formaldehyde, phenol formaldehyde) Office supplies Polishes Wood stains
Stability	Storage stability: 24 months from delivery ex plant. Protect from freezing.



Absorbance curve

Nigrosin W liq. in water



This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided - especially that contained in our safety data and technical information sheets - and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with the current version of our General Conditions of Sale and Delivery.



LANXESS Deutschland GmbH
Business Unit Rhein Chemie Additives
Kennedyplatz 1
50569 Cologne, Germany
<http://rch.lanxess.com>

